

WO 2004/050690

PCT/AU2003/001605

- 1 -

SEQUENCE LISTING

<110> XENOME LTD

<120> NOVEL CHI-CONOTOXIN PEPTIDES (~I)

<130> 12373570/JGC

<150> US 60/430306

<151> 2002-12-02

<160> 12

<170> PatentIn version 3.1

<210> 1

<211> 13

<212> PRT

<213> Conus marmoreus

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> X is 4-hydroxyproline

<220>

<221> DISULFID

<222> (4)..(13)

<223>

<220>

<221> DISULFID

<222> (5)..(10)

<223>

<400> 1

Asn Gly Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Cys

1 5 10

<210> 2

<211> 13

<212> PRT

<213> Conus marmoreus

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> X is 4-hydroxyproline

<220>

<221> DISULFID

BEST AVAILABLE COPY

- 2 -

<222> (4)..(13)
<223>

<220>
<221> DISULFID
<222> (5)..(10)
<223>

<400> 2

Val Gly Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Cys
1 5 10

<210> 3
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> X is a pGLU or OpGlu residue

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> X is Asn or a deletion

<220>
<221> DISULFID
<222> (5)..(14)
<223>

<220>
<221> DISULFID
<222> (6)..(11)
<223>

<400> 3

Xaa Xaa Gly Val Cys Cys Gly Tyr Lys Leu Cys His Pro Cys
1 5 10

<210> 4
<211> 13
<212> PRT

BEST AVAILABLE COPY

- 3 -

<213> Artificial Sequence

<220>

<223> synthetic

<220>

<221> misc_feature

<222> (1)..(1)

<223> X is pyroglutamic acid

<220>

<221> misc_feature

<222> (12)..(12)

<223> X is 4-hydroxyproline

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<220>

<221> DISULFID

<222> (4)..(13)

<223>

<220>

<221> DISULFID

<222> (5)..(10)

<223>

<400> 4

Xaa Gly Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Cys
1 5 10

<210> 5

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> synthetic

<220>

<221> misc_feature

<222> (1)..(1)

<223> X is pyroglutamic acid

<220>

<221> misc_feature

BEST AVAILABLE COPY

- 4 -

<222> (12)..(12)
<223> X is 4-hydroxyproline

<220>
<221> misc_feature
<222> (13)..(13)
<223> X is D-cysteine

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<220>
<221> DISULFID
<222> (5)..(10)
<223>

<400> 5

Xaa Gly Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Xaa
1 5 10

<210> 6
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic

<220>
<221> misc_feature
<222> (1)..(1)
<223> X is pyroglutamic acid

<220>
<221> misc_feature
<222> (7)..(7)
<223> X is 4-methoxytyrosine

<220>
<221> misc_feature
<222> (12)..(12)
<223> X is 4-hydroxyproline

<220>
<221> DISULFID
<222> (4)..(13)

BEST AVAILABLE COPY

- 5 -

<223>

<220>

<221> DISULFID

<222> (5)..(10)

<223>

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<400> 6

Xaa Gly Val Cys Cys Gly Xaa Lys Leu Cys His Xaa Cys
1 5 10

<210> 7

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> synthetic

<220>

<221> misc_feature

<222> (1)..(1)

<223> X is pyroglutamic acid

<220>

<221> misc_feature

<222> (8)..(8)

<223> X is 4-methoxytyrosine

<220>

<221> misc_feature

<222> (13)..(13)

<223> X is 4-hydroxyproline

<220>

<221> MOD_RES

<222> (13)..(13)

<223> AMIDATION

<220>

<221> DISULFID

<222> (5)..(14)

<223>

BEST AVAILABLE COPY

- 6 -

<220>
<221> DISULFID
<222> (6)..(11)
<223>

<400> 7

Xaa Asn Gly Val Cys Cys Gly Xaa Lys Leu Cys His Xaa Cys
1 5 10

<210> 8
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic

<220>
<221> misc_feature
<222> (1)..(1)
<223> X is pyroglutamic acid

<220>
<221> misc_feature
<222> (13)..(13)
<223> X is 4-hydroxyproline

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<220>
<221> DISULFID
<222> (5)..(14)
<223>

<220>
<221> DISULFID
<222> (6)..(11)
<223>

<400> 8

Xaa Asn Gly Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Cys
1 5 10

- 7 -

<210> 9
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic

<220>
<221> misc_feature
<222> (1)..(1)
<223> X is pyroglutamic acid

<220>
<221> misc_feature
<222> (12)..(12)
<223> X is 4-hydroxyproline

<220>
<221> DISULFID
<222> (4)..(13)
<223>

<220>
<221> DISULFID
<222> (5)..(10)
<223>

<400> 9

Xaa Gly Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Cys
1 5 10

<210> 10
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic

<220>
<221> misc_feature
<222> (1)..(1)
<223> X is D-pyroglutamic acid

<220>
<221> misc_feature
<222> (12)..(12)
<223> X is 4-hydroxyproline

BEST AVAILABLE COPY

- 8 -

<220>
<221> DISULFID
<222> (4)..(13)
<223>

<220>
<221> DISULFID
<222> (5)..(10)
<223>

<400> 10

Xaa Gly Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Cys
1 5 10

<210> 11
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> synthetic

<220>
<221> misc_feature
<222> (1)..(1)
<223> X is D-pyroglutamic acid

<220>
<221> misc_feature
<222> (12)..(12)
<223> X is 4-hydroxyproline

<220>
<221> MOD_RES
<222> (13)..(13)
<223> AMIDATION

<220>
<221> DISULFID
<222> (4)..(13)
<223>

<220>
<221> DISULFID
<222> (5)..(10)
<223>

BEST AVAILABLE COPY

- 9 -

<400> 11

Xaa Gly Val Cys Cys Gly Tyr Lys Leu Cys His Xaa Cys
1 5 10

<210> 12

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> synthetic

<220>

<221> misc_feature

<222> (1)..(1)

<223> X is pyroglutamate

<220>

<221> misc_feature

<222> (11)..(11)

<223> X is D-histidine

<220>

<221> misc_feature

<222> (12)..(12)

<223> X is 4-hydroxyproline

<220>

<221> MOD_RES

<222> (1)..(1)

<223> AMIDATION

<220>

<221> DISULFID

<222> (4)..(13)

<223>

<220>

<221> DISULFID

<222> (5)..(10)

<223>

<400> 12

Xaa Gly Val Cys Cys Gly Tyr Lys Leu Cys Xaa Xaa Cys
1 5 10

BEST AVAILABLE COPY